

Action

From PatternWiki

Image	
Test field	{{{PageToCall}}}
Description	The purpose of the pattern is to model actions that are proposed, planned, and performed or abandoned, together with their status and durations in time.
Sourced from	http://ontologydesignpatterns.org/wiki/Submissions:Action
Depends on	▪ http://www.ontologydesignpatterns.org/cp/owl/sequence.owl ▪ http://www.ontologydesignpatterns.org/cp/owl/timeinterval.owl
Covers CQ	▪ What actions is this action dependent on? ▪ When was this action started? ▪ What are the actions contained in this plan? ▪ What are the consequences of this action? ▪ What is the status of this action? ▪ When was this action completed? ▪ What is the suspension time of this action?
Example usage scenario	The action of making coffee is dependent on the action of buying coffee., The action of making coffee is 'completed'., The consequence of making coffee is c performed the action of making coffee between 9 and 9:05am this morning., I plan to make coffee tomorrow, and then I plan to have breakfast.
Example usage image	
OWL encoding	http://static.karlhammar.com/odps/Action.owl

Retrieved from "http://patternwiki.karlhammar.com/index.php?title=Action&oldid=190"
Category: Patterns

- This page was last modified on 9 June 2012, at 15:23.
- This page has been accessed 29 times.