

Reference List for the tabular data in file: '20230524_WoS_systematic.xlsx'

- Abd-Ella AA. 2015 Susceptibility of the pomegranate whitefly, *Siphoninus phillyreae* (Haliday) (Homoptera: Aleyrodidae) and its parasitoid, *Encarsia inaron* (Walker) (Hymenoptera: Aphelinidae) to certain insecticides under laboratory conditions. *Int. Med. J.* **25**, 669–674.
- Abdelsalam SA, Alzahrani AM, Elmenshawy OM, Sedky A, Abdel-Moneim AM. 2020 Biochemical and ultrastructural changes in the ovaries of red palm weevil, *Rhynchophorus ferrugineus* (Coleoptera: Curculionidae) following acute imidacloprid poisoning. *Journal of Asia-Pacific Entomology* **23**, 709–714. (doi:10.1016/j.aspen.2020.05.010)
- Aihetasham A, Aziz H, Rasib KZ. 2018 Efficacy of Slow Acting Toxicants on *Heterotermes indicola* (Wasmann) (Isoptera: Rhinotermitidae). *Pakistan Journal of Zoology* **50**. (doi:10.17582/journal.pjz/2018.50.1.sc3)
- Akhtar ZR, Tariq K, Handler AM, Ali A, Ullah F, Ali F, Zang L-S, Gulzar A, Ali S. 2021 Toxicological risk assessment of some commonly used insecticides on *Cotesia flavipes*, a larval parasitoid of the spotted stem borer *Chilo partellus*. *Ecotoxicology* **30**, 448–458. (doi:10.1007/s10646-021-02372-y)
- Al Naggar Y, Estrella-Maldonado H, Paxton RJ, Solís T, Quezada-Euán JJG. 2022 The Insecticide Imidacloprid Decreases *Nannotrigona* Stingless Bee Survival and Food Consumption and Modulates the Expression of Detoxification and Immune-Related Genes. *Insects* **13**, 972. (doi:10.3390/insects13110972)
- Alzahrani AM. 2019 Ultrastructural damage and biochemical alterations in the testes of red palm weevils (*Rhynchophorus ferrugineus*) exposed to imidacloprid. *Environ Sci Pollut Res* **26**, 16548–16555. (doi:10.1007/s11356-019-04968-8)
- Andreason SA, Prabhaker N, Castle SJ, Ganjisaffar F, Haviland DR, Stone-Smith B, Perring TM. 2018 Reduced Susceptibility of *Homalodisca vitripennis* (Hemiptera: Cicadellidae) to Commonly Applied Insecticides. *Journal of Economic Entomology* **111**, 2340–2348. (doi:10.1093/jee/toy192)
- Ansell GR, Frewin AJ, Gradish AE, Scott-Dupree CD. 2021 Contact toxicity of three insecticides for use in tier I pesticide risk assessments with *Megachile rotundata* (Hymenoptera: Megachilidae). *PeerJ* **9**, e10744. (doi:10.7717/peerj.10744)
- Anwar MI *et al.* 2022 Toxicity of different insecticides against the dwarf honey bee, *Apis florea* Fabricius (Hymenoptera: Apidae). *Journal of King Saud University - Science* **34**, 101712. (doi:10.1016/j.jksus.2021.101712)
- Arain MS, Hu X-X, Li G-Q. 2014 Assessment of Toxicity and Potential Risk of Butene-fipronil Using *Drosophila melanogaster*, in Comparison to Nine Conventional Insecticides. *Bull Environ Contam Toxicol* **92**, 190–195. (doi:10.1007/s00128-013-1155-8)
- Arain MS, Wan P-J, Shakeel M, Farooq M, Hu X-X, Shah SAH, Elzaki MEA, Li G-Q. 2017 Toxicity of butene-fipronil, in comparison with seven other insecticides, in *Leptinotarsa decemlineata* and *Drosophila melanogaster*. *Phytoparasitica* **45**, 103–111. (doi:10.1007/s12600-016-0560-z)
- Bailey J, Scott-Dupree C, Harris R, Tolman J, Harris B. 2005 Contact and oral toxicity to honey bees (*Apis mellifera*) of agents registered for use for sweet corn insect control in Ontario, Canada. *Apidologie* **36**, 623–633. (doi:10.1051/apido:2005048)
- Balakrishnan B, Su S, Zhang C, Chen M. 2019 Identification and Functional Characterization of Two Sigma Glutathione *S*-Transferase Genes From Bird Cherry-Oat

Aphid (Hemiptera: Aphididae). *Journal of Economic Entomology* **112**, 416–424. (doi:10.1093/jee/toy316)

- Balanza V, Mendoza JE, Bielza P. 2019 Variation in susceptibility and selection for resistance to imidacloprid and thiamethoxam in Mediterranean populations of *Orius laevis*. *Entomologia Exp Applicata* **167**, 626–635. (doi:10.1111/eea.12813)
- Bantz A, Goven D, Siegwart M, Maugin S, Raymond V. 2022 Exposure to a sublethal dose of imidacloprid induces cellular and physiological changes in *Periplaneta americana*: Involvement of $\alpha 2$ nicotinic acetylcholine subunit in imidacloprid sensitivity. *Pesticide Biochemistry and Physiology* **181**, 105014. (doi:10.1016/j.pestbp.2021.105014)
- Basij M, Talebi K, Ghadamyari M, Hosseiniaveh V, Salami SA. 2017 Status of Resistance of Bemisia tabaci (Hemiptera: Aleyrodidae) to Neonicotinoids in Iran and Detoxification by Cytochrome P450-Dependent Monooxygenases. *Neotrop Entomol* **46**, 115–124. (doi:10.1007/s13744-016-0437-3)
- Bass C *et al.* 2011 Mutation of a nicotinic acetylcholine receptor β subunit is associated with resistance to neonicotinoid insecticides in the aphid *Myzus persicae*. *BMC Neurosci* **12**, 51. (doi:10.1186/1471-2202-12-51)
- Baur ME, Sosa-Gomez DR, Ottea J, Leonard BR, Corso IC, Da Silva JJ, Temple J, Boethel DJ. 2010 Susceptibility to Insecticides Used for Control of *Piezodorus guildinii* (Heteroptera: Pentatomidae) in the United States and Brazil. *Journal of Economic Entomology* **103**, 869–876. (doi:10.1603/EC09364)
- Beadle K *et al.* 2019 Genomic insights into neonicotinoid sensitivity in the solitary bee *Osmia bicornis*. *PLoS Genet* **15**, e1007903. (doi:10.1371/journal.pgen.1007903)
- Biddinger DJ, Robertson JL, Mullin C, Frazier J, Ashcraft SA, Rajotte EG, Joshi NK, Vaughn M. 2013 Comparative Toxicities and Synergism of Apple Orchard Pesticides to *Apis mellifera* (L.) and *Osmia cornifrons* (Radoszkowski). *PLoS ONE* **8**, e72587. (doi:10.1371/journal.pone.0072587)
- Bommuraj V, Chen Y, Birenboim M, Barel S, Shimshoni JA. 2021 Concentration- and time-dependent toxicity of commonly encountered pesticides and pesticide mixtures to honeybees (*Apis mellifera* L.). *Chemosphere* **266**, 128974. (doi:10.1016/j.chemosphere.2020.128974)
- Bostanian NJ, Larocque N, Chouinard G, Coderre D. 2001 Baseline toxicity of several pesticides to *Hyaliodes vitripennis* (Say) (Hemiptera: Miridae). *Pest Management Science* **57**, 1007–1010. (doi:10.1002/ps.374)
- Bovi TS, Zaluski R, Orsi RO. 2018 Toxicity and motor changes in Africanized honey bees (*Apis mellifera* L.) exposed to fipronil and imidacloprid. *An. Acad. Bras. Ciênc.* **90**, 239–245. (doi:10.1590/0001-3765201820150191)
- Bruus M, Rasmussen JJ, Strandberg M, Strandberg B, Sørensen PB, Larsen SE, Kjær C, Lorenz S, Wiberg-Larsen P. 2020 Terrestrial adult stages of freshwater insects are sensitive to insecticides. *Chemosphere* **239**, 124799. (doi:10.1016/j.chemosphere.2019.124799)
- Burgess ER, King BH. 2015 Compatibility of the Parasitoid Wasp *Spalangia endius* (Hymenoptera: Pteromalidae) and Insecticides against *Musca domestica* (Diptera: Muscidae) as Evaluated by a New Index. *Journal of Economic Entomology* **108**, 986–992. (doi:10.1093/jee/tov104)
- Burgess ER, King BH. 2016 Behavior and Survival of the Filth Fly Parasitoids *Spalangia endius* and *Urolepis rufipes* (Hymenoptera: Pteromalidae) in Response to Three Granular House Fly Baits and Components. *Environ Entomol* **45**, 1496–1504. (doi:10.1093/ee/nvw135)

- Carneiro LS, Martinez LC, Oliveira AHD, Cossolin JFS, Resende MTCSD, Gonçalves WG, Medeiros-Santana L, Serrão JE. 2022 Acute oral exposure to imidacloprid induces apoptosis and autophagy in the midgut of honey bee *Apis mellifera* workers. *Science of The Total Environment* **815**, 152847. (doi:10.1016/j.scitotenv.2021.152847)
- Castellanos NL, Ferreira-Filho NA, Rodrigues HS, Martínez LC, Serrão JE, Oliveira EE. 2021 Imidacloprid-mediated alterations on the salivary glands of the Neotropical brown stink bug, *Euschistus heros*. *Ecotoxicology* **30**, 678–688. (doi:10.1007/s10646-021-02388-4)
- Castle SJ, Merten P, Prabhaker N. 2014 Comparative susceptibility of *Bemisia tabaci* to imidacloprid in field- and laboratory-based bioassays. *Pest Management Science* **70**, 1538–1546. (doi:10.1002/ps.3717)
- Chae S-H, Kim S-I, Yeon S-H, Lee S-W, Ahn Y-J. 2011 Adulticidal Activity of Phthalides Identified in *Cnidium officinale* Rhizome to B- and Q-Biotypes of *Bemisia tabaci*. *J. Agric. Food Chem.* **59**, 8193–8198. (doi:10.1021/jf201927t)
- Challa GK, Firake DM, Behere GT. 2019 Bio-pesticide applications may impair the pollination services and survival of foragers of honey bee, *Apis cerana* Fabricius in oilseed brassica. *Environmental Pollution* **249**, 598–609. (doi:10.1016/j.envpol.2019.03.048)
- Chandrasena D, DiFonzo C, Byrne A. 2011 An Aphid-Dip Bioassay to Evaluate Susceptibility of Soybean Aphid (Hemiptera: Aphididae) to Pyrethroid, Organophosphate, and Neonicotinoid Insecticides. *Journal of Economic Entomology* **104**, 1357–1363. (doi:10.1603/EC10414)
- Charpentier G, Louat F, Bonmatin J-M, Marchand PA, Vanier F, Locker D, Decoville M. 2014 Lethal and Sublethal Effects of Imidacloprid, After Chronic Exposure, On the Insect Model *Drosophila melanogaster*. *Environ. Sci. Technol.* **48**, 4096–4102. (doi:10.1021/es405331c)
- Chen XD, Gill TA, Pelz-Stelinski KS, Stelinski LL. 2017 Risk assessment of various insecticides used for management of Asian citrus psyllid, *Diaphorina citri* in Florida citrus, against honey bee, *Apis mellifera*. *Ecotoxicology* **26**, 351–359. (doi:10.1007/s10646-017-1768-5)
- Chen XD, Seo M, Ebert TA, Ashfaq M, Qin W, Stelinski LL. 2020 Hormesis in the Brown Citrus Aphid, *Toxoptera citricida* (Kirkaldy) (Hemiptera: Aphididae) Exposed to Sublethal Doses of Imidacloprid. *Florida Entomologist* **103**. (doi:10.1653/024.103.0305)
- Chen XD, Stelinski LL. 2017 Rapid Detection of Insecticide Resistance in *Diaphorina citri* (Hemiptera: Liviidae) Populations, using a Bottle Bioassay. *Florida Entomologist* **100**, 124–133. (doi:10.1653/024.100.0118)
- Clements J, Schoville S, Peterson N, Lan Q, Groves RL. 2016 Characterizing Molecular Mechanisms of Imidacloprid Resistance in Select Populations of *Leptinotarsa decemlineata* in the Central Sands Region of Wisconsin. *PLoS ONE* **11**, e0147844. (doi:10.1371/journal.pone.0147844)
- Costa LMD, Grella TC, Barbosa RA, Malaspina O, Nocelli RCF. 2015 Determination of acute lethal doses (LD50 and LC50) of imidacloprid for the native bee *Melipona scutellaris* Latreille, 1811 (Hymenoptera: Apidae). *Sociobiology* **62**, 578–582. (doi:10.13102/sociobiology.v62i4.792)
- Crossley MS, Rondon SI, Schoville SD. 2018 A Comparison of Resistance to Imidacloprid in Colorado Potato Beetle (*Leptinotarsa decemlineata* Say) Populations Collected in the Northwest and Midwest U.S. *Am. J. Potato Res.* **95**, 495–503. (doi:10.1007/s12230-018-9654-0)

- Cui L, Qi H, Yang D, Yuan H, Rui C. 2016 Cycloxaprid: A novel cis-nitromethylene neonicotinoid insecticide to control imidacloprid-resistant cotton aphid (*Aphis gossypii*). *Pesticide Biochemistry and Physiology* **132**, 96–101. (doi:10.1016/j.pestbp.2016.02.005)
- Cui L, Wang Q, Wang Q, Wang L, Yuan H, Rui C. 2020 Cycloxaprid: a novel *cis* - nitromethylene neonicotinoid insecticide to control *Bemisia tabaci* . *Pest Management Science* **76**, 1705–1712. (doi:10.1002/ps.5693)
- Cunha Pereira R, Faria Barbosa W, Pereira Lima MA, Vieira JOL, Carvalho Guedes RN, Rodrigues Da Silva BK, Dias Barbosa GM, Lemes Fernandes F. 2020 Toxicity of botanical extracts and their main constituents on the bees *Partamona helleri* and *Apis mellifera*. *Ecotoxicology* **29**, 246–257. (doi:10.1007/s10646-020-02167-7)
- D'Ávila VA, Barbosa WF, Guedes RNC, Cutler GC. 2018 Effects of Spinosad, Imidacloprid, and Lambda-cyhalothrin on Survival, Parasitism, and Reproduction of the Aphid Parasitoid *Aphidius colemani*. *Journal of Economic Entomology* **111**, 1096–1103. (doi:10.1093/jee/toy055)
- Dağlı F, Yükselbaba U, Ikten C, Topakçi N, Göçmen H. 2020 INSECTICIDE RESISTANCE IN *Bemisia tabaci* (GENN.) POPULATIONS COLLECTED FROM THE MEDITERRANEAN AND AEGEAN REGIONS OF TURKEY. *Appl. Ecol. Env. Res.* **18**, 7757–7768. (doi:10.15666/aeer/1806_77577768)
- Dai C, Ricupero M, Wang Z, Desneux N, Biondi A, Lu Y. 2021 Transgenerational Effects of a Neonicotinoid and a Novel Sulfoximine Insecticide on the Harlequin Ladybird. *Insects* **12**, 681. (doi:10.3390/insects12080681)
- Decourtye A, Lacassie E, Pham-Delègue M. 2003 Learning performances of honeybees (*Apis mellifera* L) are differentially affected by imidacloprid according to the season. *Pest Management Science* **59**, 269–278. (doi:10.1002/ps.631)
- Delbeke F, Vercruysse P, Tirry L, De Clercq P, Degheele D. 1997 Toxicity of diflubenzuron, pyriproxyfen, imidacloprid and diafenthiuron to the predatory bug *Orius laevigatus* (Het.: Anthocoridae). *BioControl* **42**, 349–358. (doi:10.1007/BF02769828)
- Ding Z, Wen Y, Yang B, Zhang Y, Liu S, Liu Z, Han Z. 2013 Biochemical mechanisms of imidacloprid resistance in *Nilaparvata lugens*: Over-expression of cytochrome P450 CYP6AY1. *Insect Biochemistry and Molecular Biology* **43**, 1021–1027. (doi:10.1016/j.ibmb.2013.08.005)
- Eisenback BM, Salom SM, Kok LT, Lagalante AF. 2010 Lethal and Sublethal Effects of Imidacloprid on Hemlock Woolly Adelgid (Hemiptera: Adelgidae) and Two Introduced Predator Species. *Journal of Economic Entomology* **103**, 1222–1234. (doi:10.1603/EC09270)
- Farooq M, Freed S. 2016 Combined effects of *Beauveria bassiana* (hypocreales: Clavicipitaceae) and insecticide mixtures on biological parameters of *Musca domestica* (diptera: Muscidae). *Pak. J. Zool.* **48**, 1465–1476.
- Frantzios G, Papsiki K, Sidiropoulou B, Lazaridis I, Theophilidis G, Mavragani-Tsipidou P. 2008 Evaluation of insecticidal and genotoxic effects of imidacloprid and acetochlor in *Drosophila melanogaster*. *J Applied Entomology* **132**, 583–590. (doi:10.1111/j.1439-0418.2008.01269.x)
- Gao J, Jin S-S, He Y, Luo J-H, Xu C-Q, Wu Y-Y, Hou C-S, Wang Q, Diao Q-Y. 2020 Physiological Analysis and Transcriptome Analysis of Asian Honey Bee (*Apis cerana cerana*) in Response to Sublethal Neonicotinoid Imidacloprid. *Insects* **11**, 753. (doi:10.3390/insects11110753)
- García-Méndez VH, Ortega-Arenas LD, Villanueva-Jiménez JA, Sánchez-Arroyo H. 2016 Susceptibilidad de *Diaphorina Citri* Kuwayama (Hemiptera: Liviidae) a insecticidas en Veracruz, México. *Agrociencia* **50**, 355–365.

- George A, Rao CN, Rahangadale S. 2019 Current status of insecticide resistance in *Aphis gossypii* and *Aphis spiraecola* (Hemiptera: Aphididae) under central Indian conditions in citrus. *Cogent Biology* **5**, 1660494. (doi:10.1080/23312025.2019.1660494)
- Gesraha MA. 2007 Impact of some insecticides on the coccinellid predator, *Coccinella undecimpunctata* L. and its aphid prey, *Brevicoryne brassicae* L. *Egypt. J. Biol. Pest Control* **17**, 51–55.
- Ghadamyari M, Talebi K, Mizuno H, Kono Y. 2008 Oxydemeton-Methyl Resistance, Mechanisms, and Associated Fitness Cost in Green Peach Aphids (Hemiptera: Aphididae). *Journal of Economic Entomology* **101**, 1432–1438. (doi:10.1093/jee/101.4.1432)
- Gong P, Li X, Gao H, Wang C, Li M, Zhang Y, Li X, Liu E, Zhu X. 2021 Field evolved resistance to pyrethroids, neonicotinoids, organophosphates and macrolides in *Rhopalosiphum padi* (Linnaeus) and *Sitobion avenae* (Fabricius) from China. *Chemosphere* **269**, 128747. (doi:10.1016/j.chemosphere.2020.128747)
- Govindharaj G-P-P, Jena M, Annamalai M, Basana-Gowda G, Muthiah C, Patil N, Rath PC, Adak T. 2022 Toxicity of water pepper, *Persicaria hydropiper* (L.) extracts against *Nilaparvata lugens* (Stål) and non-targeted effect on earthworm. *Industrial Crops and Products* **187**, 115309. (doi:10.1016/j.indcrop.2022.115309)
- Graily-Moradi F, Hejazi MJ, Enayati AA, Hamishehkar H. 2021 Evaluation of co-nanoencapsulation process on the toxicity and biochemical metabolism of imidacloprid and lambda-cyhalothrin in *Myzus persicae* (Sulzer). *Biocatalysis and Agricultural Biotechnology* **33**, 101974. (doi:10.1016/j.bcab.2021.101974)
- Guo L, Lv H, Tan D, Liang N, Guo C, Chu D. 2020 Resistance to insecticides in the field and baseline susceptibility to cyclaniliprole of whitefly *Bemisia tabaci* (Gennadius) in China. *Crop Protection* **130**, 105065. (doi:10.1016/j.cropro.2019.105065)
- Hayward A *et al.* 2019 The leafcutter bee, *Megachile rotundata*, is more sensitive to N-cyanoamidine neonicotinoid and butenolide insecticides than other managed bees. *Nat Ecol Evol* **3**, 1521–1524. (doi:10.1038/s41559-019-1011-2)
- Horowitz AR, Mendelson Z, Weintraub PG, Ishaaya I. 1998 Comparative toxicity of foliar and systemic applications of acetamiprid and imidacloprid against the cotton whitefly, *Bemisia tabaci* (Hemiptera: Aleyrodidae). *Bull. Entomol. Res.* **88**, 437–442. (doi:10.1017/S0007485300042176)
- Hu XP, Prokopy RJ, Clark JM. 2000 Toxicity and Residual Effectiveness of Insecticides on Insecticide-Treated Spheres for Controlling Females of *Rhagoletis pomonella* (Diptera: Tephritidae). *J Econ Entomol* **93**, 403–411. (doi:10.1603/0022-0493-93.2.403)
- Infante F, León JD, Valle-Mora J, Funderburk JE. 2014 Toxicity of Insecticides to *Frankliniella invasor* (Thysanoptera: Thripidae) Under Laboratory Conditions. *Florida Entomologist* **97**, 626–630. (doi:10.1653/024.097.0239)
- Iqbal N, Saeed S. 2013 Toxicity of six new chemical insecticides against the termite, *Microtermes mycophagus* D. (Isoptera: Termitidae: Macrotermitinae). *Pak. J. Zool.* **45**, 709–713.
- Issa KA, Wosula EN, Stephano F, Legg JP. 2022 Evaluation of the Efficacy of Flupyradifurone against *Bemisia tabaci* on Cassava in Tanzania. *Insects* **13**, 920. (doi:10.3390/insects13100920)
- Iwasa T, Motoyama N, Ambrose JT, Roe RM. 2004 Mechanism for the differential toxicity of neonicotinoid insecticides in the honey bee, *Apis mellifera*. *Crop Protection* **23**, 371–378. (doi:10.1016/j.cropro.2003.08.018)
- Jacob CRDO, Zanardi OZ, Malaquias JB, Souza Silva CA, Yamamoto PT. 2019 The impact of four widely used neonicotinoid insecticides on *Tetragonisca angustula*

(Latreille) (Hymenoptera: Apidae). *Chemosphere* **224**, 65–70. (doi:10.1016/j.chemosphere.2019.02.105)

- Jacob CRO, Malaquias JB, Zanardi OZ, Silva CAS, Jacob JFO, Yamamoto PT. 2019 Oral acute toxicity and impact of neonicotinoids on *Apis mellifera* L. and *Scaptotrigona postica* Latreille (Hymenoptera: Apidae). *Ecotoxicology* **28**, 744–753. (doi:10.1007/s10646-019-02070-w)
- Jam NA, Saber M. 2018 Sublethal effects of imidacloprid and pymetrozine on the functional response of the aphid parasitoid, *Lysiphlebus fabarum*. *Entomologia Generalis* **38**, 173–190. (doi:10.1127/entomologia/2018/0734)
- Jing TX, Qi CC, Jiao A, Liu XQ, Zhang S, Su HH, Yang YZ. 2022 Life Table Construction under Different Temperatures and Insecticide Susceptibility Analysis of *Uroleucon formosanum* (Hemiptera: Aphididae). *Insects* **13**, 1–9. (doi:10.3390/insects13080693)
- Jones AG, Hoover K, Pearsons K, Tooker JF, Felton GW. 2020 Potential Impacts of Translocation of Neonicotinoid Insecticides to Cotton (*Gossypium hirsutum* (Malvales: Malvaceae)) Extrafloral Nectar on Parasitoids. *Environmental Entomology* **49**, 159–168. (doi:10.1093/ee/nvz157)
- Kaakeh N, Kaakeh W, Bennett GW. 1996 Topical Toxicity of Imidacloprid, Fipronil, and Seven Conventional Insecticides to the Adult Convergent Lady Beetle (Coleoptera: Coccinellidae). *Journal of Entomological Science* **31**, 315–322. (doi:10.18474/0749-8004-31.3.315)
- Khan HAA, Zafar R, Nasir I. 2021 Toxicity of seventeen insecticides to *Camponotus sericeus* (Hymenoptera: Formicidae). *Journal of Asia-Pacific Entomology* **24**, 217–220. (doi:10.1016/j.aspen.2020.11.017)
- Khan MN, Afzal MBS, Din N, Naeem A, Banazeer A, Rehman MA, Tariq H, Salik MR, Qasim M. 2022 Baseline toxicity of ten insecticides from organophosphate, pyrethroid and novel mode of action groups against *Droschica mangiferae* (Homoptera: Margarodidae) collected from citrus orchard in 2017–19. *Int J Trop Insect Sci* **42**, 1181–1186. (doi:10.1007/s42690-021-00695-1)
- Khan RA, Naveed M. 2017 Evaluation of comparative toxicity of different insecticides against fruit fly, *Bactrocera zonata* saunders (Diptera: Tephritidae). *Pak. J. Zool.* **49**, 399–401. (doi:10.17582/journal.pjz/2017.49.1.sc7)
- Koo H, Lee S, Yun S, Kim HK, Kim G. 2015 Feeding response of the cotton aphid, *Aphis gossypii*, to sublethal rates of flonicamid and imidacloprid. *Entomologia Exp Applicata* **154**, 110–119. (doi:10.1111/eea.12260)
- Kristensen M, Jespersen JB. 2008 Susceptibility to thiamethoxam of *Musca domestica* from Danish livestock farms. *Pest Management Science* **64**, 126–132. (doi:10.1002/ps.1481)
- Langdon KW, Rogers ME. 2017 Neonicotinoid-Induced Mortality of *Diaphorina Citri* (Hemiptera: Liviidae) is Affected by Route of Exposure. *Journal of Economic Entomology* **110**, 2229–2234. (doi:10.1093/jee/tox231)
- Lashkari MR, Sahragard A, Ghadamyari M. 2007 Sublethal effects of imidacloprid and pymetrozine on population growth parameters of cabbage aphid, *Brevicoryne brassicae* on rapeseed, *Brassica napus* L. *Insect Science* **14**, 207–212. (doi:10.1111/j.1744-7917.2007.00145.x)
- Laurino D, Manino A, Patetta A, Ansaldi M, Porporato M. 2010 ACUTE ORAL TOXICITY OF NEONICOTINOIDS ON DIFFERENT HONEY BEE STRAINS. *Redia* **93**, 99–102.
- Laurino D, Manino A, Patetta A, Porporato M. 2013 Toxicity of neonicotinoid insecticides on different honey bee genotypes. *Bull. Insectology* **66**, 119–126.

- Li B, Yang M, Shi R, Ye M. 2019 Insecticidal Activity of Natural Capsaicinoids Against Several Agricultural Insects. *Natural Product Communications* **14**, 1934578X1986269. (doi:10.1177/1934578X19862695)
- Li J, Wang Q, Zhang L, Gao X. 2012 Characterization of imidacloprid resistance in the housefly *Musca domestica* (Diptera: Muscidae). *Pesticide Biochemistry and Physiology* **102**, 109–114. (doi:10.1016/j.pestbp.2011.10.012)
- Li Y-F, An J-J, Dang Z-H, Pan W-L, Gao Z-L. 2018 Systemic control efficacy of neonicotinoids seeds dressing on English grain aphid (Hemiptera: Aphididae). *Journal of Asia-Pacific Entomology* **21**, 430–435. (doi:10.1016/j.aspen.2018.01.003)
- Li Z, Li M, He J, Zhao X, Chaimanee V, Huang W-F, Nie H, Zhao Y, Su S. 2017 Differential physiological effects of neonicotinoid insecticides on honey bees: A comparison between *Apis mellifera* and *Apis cerana*. *Pesticide Biochemistry and Physiology* **140**, 1–8. (doi:10.1016/j.pestbp.2017.06.010)
- Lilly DG, Zalucki MP, Orton CJ, Russell RC, Webb CE, Doggett SL. 2015 Confirmation of insecticide resistance in *Cimex lectularius* Linnaeus (Hemiptera: Cimicidae) in Australia. *Austral Entomol.* **54**, 96–99. (doi:10.1111/aen.12098)
- Lin Q *et al.* 2021 Improved control of *Frankliniella occidentalis* on greenhouse pepper through the integration of *Orius sauteri* and neonicotinoid insecticides. *J Pest Sci* **94**, 101–109. (doi:10.1007/s10340-020-01198-7)
- Lowery DT, Smirle MJ, Footitt RG, Zurowski CL, Peryea EHB. 2005 Baseline Susceptibilities to Imidacloprid for Green Apple Aphid and Spirea Aphid (Homoptera: Aphididae) Collected from Apple in the Pacific Northwest. *Journal of Economic Entomology* **98**, 188–194. (doi:10.1093/jee/98.1.188)
- Lucas É, Giroux S, Demougeot S, Duchesne R -M., Coderre D. 2004 Compatibility of a natural enemy, *Coleomegilla maculata lengi* (Col., Coccinellidae) and four insecticides used against the Colorado potato beetle (Col., Chrysomelidae). *J Applied Entomology* **128**, 233–239. (doi:10.1111/j.1439-0418.2004.00843.x)
- Lunardi JS, Zaluski R, Orsi RO. 2017 Evaluation of motor changes and toxicity of insecticides Fipronil and imidacloprid in Africanized Honey bees (Hymenoptera: Apidae). *Sociobiology* **64**, 50–56. (doi:10.13102/sociobiology.v64i1.1190)
- Lv N, Ma K, Li R, Liang P, Liang P, Gao X. 2021 Sublethal and lethal effects of the imidacloprid on the metabolic characteristics based on high-throughput non-targeted metabolomics in *Aphis gossypii* Glover. *Ecotoxicology and Environmental Safety* **212**, 111969. (doi:10.1016/j.ecoenv.2021.111969)
- Mahdian K, Van Leeuwen T, Tirry L, De Clercq P. 2007 Susceptibility of the predatory stinkbug *Picromerus bidens* to selected insecticides. *BioControl* **52**, 765–774. (doi:10.1007/s10526-007-9075-3)
- Manjon C *et al.* 2018 Unravelling the Molecular Determinants of Bee Sensitivity to Neonicotinoid Insecticides. *Current Biology* **28**, 1137–1143.e5. (doi:10.1016/j.cub.2018.02.045)
- Marasinghe JP, Karunaratne SHPP. 2021 Evaluation of insecticide resistance and underlying resistance mechanisms in selected whitefly populations in Sri Lanka. *J. Natn. Sci. Foundation Sri Lanka* **49**, 469. (doi:10.4038/jnsfsr.v49i4.10312)
- Markussen MDK, Kristensen M. 2010 Cytochrome P450 monooxygenase-mediated neonicotinoid resistance in the house fly *Musca domestica* L. *Pestic. Biochem. Physiol.* **98**, 50–58. (doi:10.1016/j.pestbp.2010.04.012)
- Marletto F, Patetta A, Manino A. 2003 Laboratory assessment of pesticide toxicity to bumblebees. *Bull. Insectology* **56**, 155–158.

- Martínez LC *et al.* 2019 Exposure to Insecticides Reduces Populations of *Rhynchophorus palmarum* in Oil Palm Plantations with Bud Rot Disease. *Insects* **10**, 111. (doi:10.3390/insects10040111)
- Martínez LC, Plata-Rueda A, Gonçalves WG, Freire AFPA, Zanuncio JC, Bozdoğan H, Serrão JE. 2019 Toxicity and cytotoxicity of the insecticide imidacloprid in the midgut of the predatory bug, *Podisus nigrispinus*. *Ecotoxicology and Environmental Safety* **167**, 69–75. (doi:10.1016/j.ecoenv.2018.09.124)
- Matsumura M *et al.* 2018 Insecticide susceptibilities of the two rice planthoppers *Nilaparvata lugens* and *Sogatella furcifera* in East Asia, the Red River Delta, and the Mekong Delta. *Pest Management Science* **74**, 456–464. (doi:10.1002/ps.4729)
- Matsuura A, Nakamura M. 2014 Development of neonicotinoid resistance in the cotton aphid *Aphis gossypii* (Hemiptera: Aphididae) in Japan. *Appl Entomol Zool* **49**, 535–540. (doi:10.1007/s13355-014-0289-4)
- Mena F, Berrocal S, Solano K, Herrera E, Gallardo M, Jiménez K, Aguilar I, Pinnock-Branford M. 2023 Comparison of the Sensitivity of *Tetragonisca angustula* (Apidae-Meliponini) and *Apis mellifera* (Apidae-Apini) to Three Insecticides (Malathion, Imidacloprid, and Fipronil) Used in Costa Rica. *Enviro Toxic and Chemistry* **42**, 1022–1031. (doi:10.1002/etc.5587)
- Mota-Sanchez D, Hollingworth RM, Grafius EJ, Moyer DD. 2006 Resistance and cross-resistance to neonicotinoid insecticides and spinosad in the Colorado potato beetle, *Leptinotarsa decemlineata* (Say) (Coleoptera: Chrysomelidae). *Pest Management Science* **62**, 30–37. (doi:10.1002/ps.1120)
- Moyses EW, Gfeller FJ. 2001 Topical Application as a Method for Comparing the Effectiveness of Insecticides Against Cat Flea (Siphonaptera: Pulicidae). *J Med Entomol* **38**, 193–196. (doi:10.1603/0022-2585-38.2.193)
- Naeem A, Freed S, Jin FL, Akmal M, Mehmood M. 2016 Monitoring of insecticide resistance in *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae) from citrus groves of Punjab, Pakistan. *Crop Protection* **86**, 62–68. (doi:10.1016/j.cropro.2016.04.010)
- Nagloo N, Rigosi E, O'Carroll DC. 2023 Acute and chronic toxicity of imidacloprid in the pollinator fly, *Eristalis tenax* L., assessed using a novel oral bioassay. *Ecotoxicology and Environmental Safety* **251**, 114505. (doi:10.1016/j.ecoenv.2023.114505)
- Nahiyoon SA, Cui L, Yang D, Yan X, Rui C, Yuan H. 2020 Biocidal radiuses of cyclozaprid, imidacloprid and lambda-cyhalothrin droplets controlling against cotton aphid (*Aphis gossypii*) using an unmanned aerial vehicle. *Pest Management Science* **76**, 3020–3029. (doi:10.1002/ps.5849)
- Nauen R, Ebbinghaus-Kintscher U, Schmuck R. 2001 Toxicity and nicotinic acetylcholine receptor interaction of imidacloprid and its metabolites in *Apis mellifera* (Hymenoptera: Apidae). *Pest Management Science* **57**, 577–586. (doi:10.1002/ps.331)
- Ong S-Q, Ahmad H, Jaal Z, Rus AC. 2016 Comparative Effectiveness of Insecticides for Use Against the House Fly (Diptera: Muscidae): Determination of Resistance Levels on a Malaysian Poultry Farm. *J Econ Entomol* **109**, 352–359. (doi:10.1093/jee/tov326)
- Ovčarenko I, Lindström L, Saikkonen K, Vänninen I. 2014 Variation in mortality among populations is higher for pymetrozine than for imidacloprid and spiromesifen in *Trialeurodes vaporariorum* in greenhouses in Finland. *Pest Management Science* **70**, 1524–1530. (doi:10.1002/ps.3766)
- Paine TD, Hanlon CC, Byrne FJ. 2011 Potential risks of systemic imidacloprid to parasitoid natural enemies of a cerambycid attacking Eucalyptus. *Biological Control* **56**, 175–178. (doi:10.1016/j.biocontrol.2010.08.007)

- Palumbo JC, Prabhaker N, Reed DA, Perring TM, Castle SJ, Huang T-I. 2015 Susceptibility of *Bagrada hilaris* (Hemiptera: Pentatomidae) to Insecticides in Laboratory and Greenhouse Bioassays. *Journal of Economic Entomology* **108**, 672–682. (doi:10.1093/jee/tov010)
- Pan H, Liu Y, Liu B, Lu Y, Xu X, Qian X, Wu K, Desneux N. 2014 Lethal and sublethal effects of cycloxaprid, a novel cis-nitromethylene neonicotinoid insecticide, on the mirid bug *Apolygus lucorum*. *J. Pest Sci.* **87**, 731–738. (doi:10.1007/s10340-014-0610-6)
- Pardo-Melgarejo S, Rodríguez-Maciél JC, Pineda-Guillermo S, Morales-Hernández F, Lagunes-Tejeda Á, Guzmán-Franco AW, Silva-Aguayo G. 2022 Susceptibility of a Mexican Field-Collected Wild Population of *Diaphorina citri* (Hemiptera: Liviidae) to Selected Insecticides. *Journal of Entomological Science* **57**, 281–287. (doi:10.18474/JES21-49)
- Parkinson RH, Little JM, Gray JR. 2017 A sublethal dose of a neonicotinoid insecticide disrupts visual processing and collision avoidance behaviour in *Locusta migratoria*. *Sci Rep* **7**, 936. (doi:10.1038/s41598-017-01039-1)
- Parkinson RH, Zhang S, Gray JR. 2020 Neonicotinoid and sulfoximine pesticides differentially impair insect escape behavior and motion detection. *Proc. Natl. Acad. Sci. U.S.A.* **117**, 5510–5515. (doi:10.1073/pnas.1916432117)
- Pashte V, Patil Shivshankar C. 2018 Toxicity and poisoning symptoms of selected insecticides to honey bees (*Apis mellifera mellifera* L.). *Archives of Biological Sciences* **70**, 5–12. (doi:10.2298/ABS170131020P)
- Paul A, Harrington LC, Scott JG. 2006 Evaluation of Novel Insecticides for Control of Dengue Vector *Aedes aegypti* (Diptera: Culicidae). *J Med Entomol* **43**, 55–60. (doi:10.1093/jmedent/43.1.55)
- Pazini JDB, Padilha AC, Cagliari D, Bueno FA, Rakes M, Zotti MJ, Martins JFDS, Grützmacher AD. 2019 Differential impacts of pesticides on *Euschistus heros* (Hem.: Pentatomidae) and its parasitoid *Telenomus podisi* (Hym.: Platygasteridae). *Sci Rep* **9**, 6544. (doi:10.1038/s41598-019-42975-4)
- Pervez M, Manzoor F. 2021 A study on lethal doses of various pesticides on honeybees (*Apis mellifera* L.) – a laboratory trial. *Physiol. Entomol.* **46**, 34–44. (doi:10.1111/phen.12338)
- Peterson EM, Green FB, Smith PN. 2021 Toxic responses of blue orchard mason bees (*Osmia lignaria*) following contact exposure to neonicotinoids, macrocyclic lactones, and pyrethroids. *Ecotoxicology and Environmental Safety* **208**, 111681. (doi:10.1016/j.ecoenv.2020.111681)
- Poquet Y, Kairo G, Tchamitchian S, Brunet J, Belzunces LP. 2015 Wings as a new route of exposure to pesticides in the honey bee. *Enviro Toxic and Chemistry* **34**, 1983–1988. (doi:10.1002/etc.3014)
- Prabhaker N, Castle S, Byrne F, Henneberry TJ, Toscano NC. 2006 Establishment of Baseline Susceptibility Data to Various Insecticides for *Homalodisca coagulata* (Homoptera: Cicadellidae) by Comparative Bioassay Techniques. *Journal of Economic Entomology* **99**, 141–154. (doi:10.1093/jee/99.1.141)
- Prabhaker N, Castle SJ, Naranjo SE, Toscano NC, Morse JG. 2011 Compatibility of Two Systemic Neonicotinoids, Imidacloprid and Thiamethoxam, With Various Natural Enemies of Agricultural Pests. *J Econ Entomol* **104**, 773–781. (doi:10.1603/EC10362)
- Preetha G, Stanley J, Suresh S, Kuttalam S, Samiyappan R. 2009 Toxicity of selected insecticides to *Trichogramma chilonis*: Assessing their safety in the rice ecosystem. *Phytoparasitica* **37**, 209–215. (doi:10.1007/s12600-009-0031-x)

- Pridgeon JW, Pereira RM, Becnel JJ, Allan SA, Clark GG, Linthicum KJ. 2008 Susceptibility of *Aedes aegypti*, *Culex quinquefasciatus* Say, and *Anopheles quadrimaculatus* Say to 19 Pesticides with Different Modes of Action. *J Med Entomol* **45**, 82–87. (doi:10.1093/jmedent/45.1.82)
- Rajab A, Moravvej G, Asoodeh A. 2021 Induction of insecticide tolerance in German cockroach (Dictyoptera: Blattellidae) due to sublethal doses of imidacloprid, indoxacarb, and lambda-cyhalothrin. *International Journal of Pest Management*, 1–9. (doi:10.1080/09670874.2021.1985652)
- Ramírez-Sánchez AK, Rodríguez-Maciél JC, Lagunes-Tejeda Á, Bautista-Martínez N, Tejeda Reyes MA, Pardo-Melgarejo S. 2023 Intraorchard Variation of Resistance to Imidacloprid in *Diaphorina citri* (Hemiptera: Liviidae) Adults. *Journal of Entomological Science* **58**, 266–276. (doi:10.18474/JES22-46)
- Ray A *et al.* 2022 Multigenerational Insecticide Hormesis Enhances Fitness Traits in a Key Egg Parasitoid, *Trichogramma chilonis* Ishii. *Agronomy* **12**, 1392. (doi:10.3390/agronomy12061392)
- Reid RJ, Troczka BJ, Kor L, Randall E, Williamson MS, Field LM, Nauen R, Bass C, Davies TGE. 2020 Assessing the acute toxicity of insecticides to the buff-tailed bumblebee (*Bombus terrestris audax*). *Pesticide Biochemistry and Physiology* **166**, 104562. (doi:10.1016/j.pestbp.2020.104562)
- Ricupero M, Desneux N, Zappalà L, Biondi A. 2020 Target and non-target impact of systemic insecticides on a polyphagous aphid pest and its parasitoid. *Chemosphere* **247**, 125728. (doi:10.1016/j.chemosphere.2019.125728)
- Saber M. 2011 Acute and population level toxicity of imidacloprid and fenpyroximate on an important egg parasitoid, *Trichogramma cacoeciae* (Hymenoptera: Trichogrammatidae). *Ecotoxicology* **20**, 1476–1484. (doi:10.1007/s10646-011-0704-3)
- Sakamoto H, Goka K. 2021 Acute toxicity of typical ant control agents to the red imported fire ant, *Solenopsis invicta* (Hymenoptera: Formicidae). *Appl Entomol Zool* **56**, 217–224. (doi:10.1007/s13355-021-00728-8)
- Santos AV, De Oliveira BL, Samuels RI. 2007 Selection of entomopathogenic fungi for use in combination with sub-lethal doses of imidacloprid: perspectives for the control of the leaf-cutting ant *Atta sexdens rubropilosa* Forel (Hymenoptera: Formicidae). *Mycopathologia* **163**, 233–240. (doi:10.1007/s11046-007-9009-8)
- Santos MF, Santos RL, Tomé HVV, Barbosa WF, Martins GF, Guedes RNC, Oliveira EE. 2016 Imidacloprid-mediated effects on survival and fertility of the Neotropical brown stink bug *Euschistus heros*. *J Pest Sci* **89**, 231–240. (doi:10.1007/s10340-015-0666-y)
- Saran RK, Ziegler M, Kudlie S, Harrison D, Leva DM, Scherer C, Coffelt MA. 2014 Behavioral Effects and Tunneling Responses of Eastern Subterranean Termites (Isoptera: Rhinotermitidae) Exposed to Chlorantraniliprole-Treated Soils. *J Econ Entomol* **107**, 1878–1889. (doi:10.1603/EC11393)
- Schmuck R, Schöning R, Stork A, Schramel O. 2001 Risk posed to honeybees (*Apis mellifera* L, Hymenoptera) by an imidacloprid seed dressing of sunflowers. *Pest Management Science* **57**, 225–238. (doi:10.1002/ps.270)
- Shankarganesh K, Suroshe SS, Paul B. 2015 Relative susceptibility of the Bikaner and Delhi populations of mustard aphid, *Lipaphis erysimi* (Kalt.) (Homoptera: Aphididae), and its predator, *Coccinella septempunctata* L. (Coleoptera: Coccinellidae), to different insecticides. *Phytoprotection* **95**, 27–31. (doi:10.7202/1031955ar)
- Shankarganesh, K; Paul, B and Naveen, NC 2017 Eco-toxicological effect of insecticides on the larval parasitoid, *Bracon brevicornis* Wesmael (Hymenoptera: Braconidae). *African Entomol.* **25** 367-374.

- Sial MU, Zhao Z, Zhang L, Zhang Y, Mao L, Jiang H. 2018 Evaluation of Insecticides induced hormesis on the demographic parameters of *Myzus persicae* and expression changes of metabolic resistance detoxification genes. *Sci Rep* **8**, 16601. (doi:10.1038/s41598-018-35076-1)
- Sladan S, Miroslav K, Ivan S, Snežana J, Petar K, Goran T, Jevdović R. 2012 Resistance of Colorado potato beetle (Coleoptera: Chrysomelidae) to neonicotinoids, pyrethroids and nereistoxins in Serbia. *Rom. Biotechnol. Lett.* **17**, 7599–7609.
- Soares HM, Jacob CRO, Carvalho SM, Nocelli RCF, Malaspina O. 2015 Toxicity of Imidacloprid to the Stingless Bee *Scaptotrigona postica* Latreille, 1807 (Hymenoptera: Apidae). *Bull Environ Contam Toxicol* **94**, 675–680. (doi:10.1007/s00128-015-1488-6)
- Sohrabi F, Shishehbor P, Saber M, Mosaddegh MS. 2011 Lethal and sublethal effects of buprofezin and imidacloprid on *Bemisia tabaci* (Hemiptera: Aleyrodidae). *Crop Protection* **30**, 1190–1195. (doi:10.1016/j.cropro.2011.05.004)
- Sohrabi F, Shishehbor P, Saber M, Mosaddegh MS. 2012 Lethal and sublethal effects of buprofezin and imidacloprid on the whitefly parasitoid *Encarsia inaron* (Hymenoptera: Aphelinidae). *Crop Protection* **32**, 83–89. (doi:10.1016/j.cropro.2011.10.005)
- Sohrabi F, Shishehbor P, Saber M, Mosaddegh MS. 2013 Lethal and sublethal effects of imidacloprid and buprofezin on the sweetpotato whitefly parasitoid *Eretmocerus mundus* (Hymenoptera: Aphelinidae). *Crop Protection* **45**, 98–103. (doi:10.1016/j.cropro.2012.11.024)
- Stamm MD, Baxendale FP, Heng-Moss TM, Siegfried BD, Blankenship EE, Gaussoin RE. 2011 Dose-Response Relationships of Clothianidin, Imidacloprid, and Thiamethoxam to *Blissus occiduus* (Hemiptera: Blissidae). *J Econ Entomol* **104**, 205–210. (doi:10.1603/EC10268)
- Stark JD, Jepson PC, Mayer DF. 1995 Limitations to Use of Topical Toxicity Data for Predictions of Pesticide Side Effects in the Field. *Journal of Economic Entomology* **88**, 1081–1088. (doi:10.1093/jee/88.5.1081)
- Steelman CD, Szalanski AL, Trout R, McKern JA, Solorzano C, Austin JW. 2008 Susceptibility of the Bed Bug *Cimex lectularius* L. (Heteroptera: Cimicidae) Collected in Poultry Production Facilities to Selected Insecticides. *Journal of Agricultural and Urban Entomology* **25**, 41–51. (doi:10.3954/1523-5475-25.1.41)
- Suchail S, Guez D, Belzunces LP. 2000 Characteristics of imidacloprid toxicity in two *Apis mellifera* subspecies. *Enviro Toxic and Chemistry* **19**, 1901–1905. (doi:10.1002/etc.5620190726)
- Suchail S, Guez D, Belzunces LP. 2001 Discrepancy between acute and chronic toxicity induced by imidacloprid and its metabolites in *Apis mellifera*. *Enviro Toxic and Chemistry* **20**, 2482–2486. (doi:10.1002/etc.5620201113)
- Szendrei Z, Grafius E, Byrne A, Ziegler A. 2012 Resistance to neonicotinoid insecticides in field populations of the Colorado potato beetle (Coleoptera: Chrysomelidae). *Pest Management Science* **68**, 941–946. (doi:10.1002/ps.3258)
- Tan Y, Biondi A, Desneux N, Gao X-W. 2012 Assessment of physiological sublethal effects of imidacloprid on the mirid bug *Apolygus lucorum* (Meyer-Dür). *Ecotoxicology* **21**, 1989–1997. (doi:10.1007/s10646-012-0933-0)
- Tang L-D, Qiu B-L, Cuthbertson AGS, Ren S-X. 2015 Status of insecticide resistance and selection for imidacloprid resistance in the ladybird beetle *Propylaea japonica* (Thunberg). *Pesticide Biochemistry and Physiology* **123**, 87–92. (doi:10.1016/j.pestbp.2015.03.008)

- Tappert L, Pokorny T, Hofferberth J, Ruther J. 2017 Sublethal doses of imidacloprid disrupt sexual communication and host finding in a parasitoid wasp. *Sci Rep* **7**, 42756. (doi:10.1038/srep42756)
- Thompson HM, Fryday SL, Harkin S, Milner S. 2014 Potential impacts of synergism in honeybees (*Apis mellifera*) of exposure to neonicotinoids and sprayed fungicides in crops. *Apidologie* **45**, 545–553. (doi:10.1007/s13592-014-0273-6)
- Tiwari S, Mann RS, Rogers ME, Stelinski LL. 2011 Insecticide resistance in field populations of Asian citrus psyllid in Florida. *Pest Management Science* **67**, 1258–1268. (doi:10.1002/ps.2181)
- Tomé HVV, Barbosa WF, Martins GF, Guedes RNC. 2015 Spinosad in the native stingless bee *Melipona quadrifasciata*: Regrettable non-target toxicity of a bioinsecticide. *Chemosphere* **124**, 103–109. (doi:10.1016/j.chemosphere.2014.11.038)
- Tran DH, Takagi M, Takasu K. 2005 Toxicity of Selective Insecticides to *Neochrysocharis formosa* (Westwood) (Hymenoptera: Eulophidae), a Parasitoid of the American Serpentine Leafminer *Liriomyxa trifolii* (Burgess) (Diptera: Agrizomyidae). *Journal of the Faculty of Agriculture, Kyushu University* **50**, 109–124. (doi:10.5109/4627)
- Tran DH, Ueno T. 2012 Toxicity of Insecticides to *Neochrysocharis okazakii*, a Parasitoid *Liriomyza* Leafminers on Vegetables. *Journal of the Faculty of Agriculture, Kyushu University* **57**, 127–131. (doi:10.5109/22059)
- Ugine TA, Gardescu S, Lewis PA, Hajek AE. 2012 Efficacy of Imidacloprid, Trunk-Injected Into *Acer platanoides*, for Control of Adult Asian Longhorned Beetles (Coleoptera: Cerambycidae). *J Econ Entomol* **105**, 2015–2028. (doi:10.1603/EC12188)
- Ullah F, Gul H, Desneux N, Gao X, Song D. 2019 Imidacloprid-induced hormesis effects on demographic traits of the melon aphid, *Aphis gossypii*. *Entomologia Generalis* **39**, 325–337. (doi:10.1127/entomologia/2019/0892)
- Valdovinos-Núñez GR, Quezada-Euán JJG, Ancona-Xiu P, Moo-Valle H, Carmona A, Sánchez ER. 2009 Comparative Toxicity of Pesticides to Stingless Bees (Hymenoptera: Apidae: Meliponini). *ec* **102**, 1737–1742. (doi:10.1603/029.102.0502)
- Wang B, Gao R, Mastro VC, Reardon RC. 2005 Toxicity of Four Systemic Neonicotinoids to Adults of *Anoplophora glabripennis* (Coleoptera: Cerambycidae). *Journal of Economic Entomology* **98**, 2292–2300. (doi:10.1093/jee/98.6.2292)
- Wang F, Liu J, Shuai S, Miao C, Chi B, Chen P, Wang K, Li H, Liu Y. 2021 Resistance of *Bemisia tabaci* Mediterranean (Q-biotype) to pymetrozine: resistance risk assessment, cross-resistance to six other insecticides and detoxification enzyme assay. *Pest Management Science* **77**, 2114–2121. (doi:10.1002/ps.6240)
- Wang J-J, Wei D, Dou W, Hu F, Liu W-F, Wang J-J. 2013 Toxicities and Synergistic Effects of Several Insecticides Against the Oriental Fruit Fly (Diptera: Tephritidae). *J Econ Entomol* **106**, 970–978. (doi:10.1603/EC12434)
- Wang K-Y, Liu T-X, Yu C-H, Jiang X-Y, Yi M-Q. 2002 Resistance of *Aphis gossypii* (Homoptera: Aphididae) to Fenvalerate and Imidacloprid and Activities of Detoxification Enzymes on Cotton and Cucumber. *J Econ Entomol* **95**, 407–413. (doi:10.1603/0022-0493-95.2.407)
- Wang X, Sun H, Zhang Y, Liu C, Liu Z. 2015 Transcriptional Changes in nAChRs, Interactive Proteins and P450s in *Locusta migratoria manilensis* (Orthoptera: Acrididae) CNS in Response to High and Low Oral Doses of Imidacloprid. *J Insect Sci* **15**, 102. (doi:10.1093/jisesa/iev080)
- Wen Y, Liu Z, Bao H, Han Z. 2009 Imidacloprid resistance and its mechanisms in field populations of brown planthopper, *Nilaparvata lugens* Stål in China. *Pesticide Biochemistry and Physiology* **94**, 36–42. (doi:10.1016/j.pestbp.2009.02.009)

- Wen Z, Scott JG. 1997 Cross-Resistance to Imidacloprid in Strains of German Cockroach (*Blattella germanica*) and House Fly (*Musca domestica*). *Pestic. Sci.* **49**, 367–371. (doi:10.1002/(SICI)1096-9063(199704)49:4<367::AID-PS542>3.0.CO;2-L)
- Wise JC, Coombs AB, Vandervoort C, Gut LJ, Hoffmann EJ, Whalon ME. 2006 Use of Residue Profile Analysis to Identify Modes of Insecticide Activity Contributing to Control of Plum Curculio in Apples. *Journal of Economic Entomology* **99**, 2055–2064. (doi:10.1093/jee/99.6.2055)
- Wong MJ, Liao L-H, Berenbaum MR. 2018 Biphasic concentration-dependent interaction between imidacloprid and dietary phytochemicals in honey bees (*Apis mellifera*). *PLoS ONE* **13**, e0206625. (doi:10.1371/journal.pone.0206625)
- Wu X, Appel AG. 2017 Insecticide Resistance of Several Field-Collected German Cockroach (Dictyoptera: Blattellidae) Strains. *Journal of Economic Entomology* **110**, 1203–1209. (doi:10.1093/jee/tox072)
- Xu L, Zhao C-Q, Zhang Y-N, Liu Y, Gu Z-Y. 2016 Lethal and sublethal effects of sulfoxaflor on the small brown planthopper *Laodelphax striatellus*. *Journal of Asia-Pacific Entomology* **19**, 683–689. (doi:10.1016/j.aspen.2016.06.013)
- Yang Q, Lu Y. 2023 Impact of two neonicotinoid insecticides on the parasitoids of *Apolygus lucorum*: *Peristenus spretus* and *Peristenus relictus*. *Crop Protection* **167**, 106208. (doi:10.1016/j.cropro.2023.106208)
- Yang X *et al.* 2013 Two cytochrome P450 genes are involved in imidacloprid resistance in field populations of the whitefly, *Bemisia tabaci*, in China. *Pesticide Biochemistry and Physiology* **107**, 343–350. (doi:10.1016/j.pestbp.2013.10.002)
- Yang Z, Wu X, Zhang J, Lu X, Li X, Jiang Z, Song D, Duan H, Yang X. 2021 Screening and Optimization of Novel Low Bee-Toxicity Phenylacetohydrazone Compounds Based on Insect nAChR Selectivity. *Chinese J. Org. Chem.* **41**, 2774–2787. (doi:10.6023/cjoc202101028)
- Youn YN, Seo MJ, Shin JG, Jang C, Yu YM. 2003 Toxicity of greenhouse pesticides to multicolored Asian lady beetles, *Harmonia axyridis* (Coleoptera: Coccinellidae). *Biological Control* **28**, 164–170. (doi:10.1016/S1049-9644(03)00098-7)
- Yu J-J, Ranabhat S, Wang C. 2023 Insecticide Resistance of *Cimex lectularius* L. Populations and the Performance of Selected Neonicotinoid-Pyrethroid Mixture Sprays and an Inorganic Dust. *Insects* **14**, 133. (doi:10.3390/insects14020133)
- Yue M, Luo S, Liu J, Wu J. 2018 *Apis cerana* Is Less Sensitive to Most Neonicotinoids, Despite of Their Smaller Body Mass. *Journal of Economic Entomology* **111**, 39–42. (doi:10.1093/jee/tox342)
- Zewen L, Zhaojun H, Yinchang W, Lingchun Z, Hongwei Z, Chengjun L. 2003 Selection for imidacloprid resistance in *Nilaparvata lugens*: cross-resistance patterns and possible mechanisms. *Pest Management Science* **59**, 1355–1359. (doi:10.1002/ps.768)
- Zhang X, Wang Y, Xu Z, Shao X, Liu Z, Xu X, Maienfisch P, Li Z. 2021 Design, Synthesis, and Synergistic Activity of Eight-Membered Oxabridge Neonicotinoid Analogues. *J. Agric. Food Chem.* **69**, 3005–3014. (doi:10.1021/acs.jafc.0c04786)
- Zhao J-Z, Bishop BA, Grafius EJ. 2000 Inheritance and Synergism of Resistance to Imidacloprid in the Colorado Potato Beetle (Coleoptera: Chrysomelidae). *J Econ Entomol* **93**, 1508–1514. (doi:10.1603/0022-0493-93.5.1508)
- Zhao X, Wu C, Wang Y, Cang T, Chen L, Yu R, Wang Q. 2012 Assessment of Toxicity Risk of Insecticides Used in Rice Ecosystem on *Trichogramma japonicum*, an Egg Parasitoid of Rice Lepidopterans. *J Econ Entomol* **105**, 92–101. (doi:10.1603/EC11259)

- Zhu J, Li Y, Jiang H, Liu C, Lu W, Dai W, Xu J, Liu F. 2018 Selective toxicity of the mesoionic insecticide, triflumezopyrim, to rice planthoppers and beneficial arthropods. *Ecotoxicology* **27**, 411–419. (doi:10.1007/s10646-018-1904-x)